

2015-CURRENT FORD F-150 2017-CURRENT RAPTOR 2017-CURRENT F-250 SUPER CAB

UNDER SEAT STORAGE

PART# USSF150-01

KIT CONTENTS:
UNDER SEAT STORAGE ASSEMBLY
HARDWARE BAG- 4 1/4"-20 BOLTS, 6 WASHERS, 4 SPACERS, 4 1/4" -20 SPEED NUTS
INSTALLATION INSTRUCTIONS

TOOLS REQUIRED FOR INSTALLATION:
3/16" Allen Wrench

WARNING!

Installing this product in your

Vehicle requires the use of sharp objects.

***Please make sure you use the proper tools and use
them in a safe manner.***

***We are not responsible for injuries incurred while
installing this product.***



2014-2017 F-150/2017 RAPTOR/2017 F-250

UNDER SEAT STORAGE

INSTALLATION INSTRUCTIONS

TOOLS NEEDED:

1. REMOVE ALL CONTENTS FROM BOX
2. INSPECT CONTENTS
3. LIFT BOTH SEATS TO THE UPRIGHT POSITION
4. SET THE ESP UNDER SEAT STORAGE ON FLOOR AND LINE UP OPENINGS IN BACK OF STORAGE BOX WITH THE SEAT BRACKETS.
5. IF EQUIPPED WITH PLASTIC CARGO DIVIDER ON DRIVER SIDE, REMOVE 4 SCREWS AND REMOVE DIVIDER.
6. INSTALL THE 4 SPEED NUTS ONTO THE SEAT BRACKETS WHERE STORAGE BOX LINES UP
7. INSTALL THE 4 BOLTS AND WASHERS THROUGH THE OPENING IN BOX INTO THE SPEED NUTS. START WITH DRIVER SIDE AND WORK TO PASSENGER SIDE. IF LAST BRACKET DOES NOT LINE UP, IT WILL BE NECESSARY TO LOOSEN PASSENGER SIDE OUTER SEAT BRACKET AND MOVE TO LINE UP TO STORAGE. NOTE: IF YOUR TRUCK IS EQUIPPED WITH THE SYNC SYSTEM, YOU WILL NEED TO USE THE SPACERS PROVIDED. THOSE WILL GO BETWEEN THE BACK OF THE BOX AND THE SEAT BRACKETS.
8. TIGHTEN ALL 4 BOLTS USING 3/16" ALLEN WRENCH
9. IF THE LIDS DO NOT CLOSE CORRECTLY, IT WILL BE NECESSARY TO INSTALL A WASHER BETWEEN THE SPACER AND THE STORAGE BOX ON THE TWO CENTER MOUNTING BOLTS.
10. ENJOY!

IF AT ANYTIME, YOU NEED HELP WHILE PERFORMING THE INSTALL, FEEL FREE TO CALL OR TEXT EARL AT 951-858-3418. WE WILL BE HAPPY TO HELP

THANKS FOR YOUR PURCHASE